Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	"10/649708"	US-PGPUB; USPAT	OR	OFF	2006/08/09 15:01
S2	6	(("5528002") or ("5854881") or ("6133906") or ("6667740") or ("5381160") or ("6005555")).PN. or (2003/0188899).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/17 11:18
S3	13	("4492819" "4631356" "4845684" "4999461" "5166668" "5483262" "5541371").PN. OR ("5854881"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/04 16:43
S4	16	("4492819" "4631356" "4845684" "4999461" "5166668" "5483262" "5541371").PN. OR ("5854881"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/26 14:23
S5	16	("4492819" "4631356" "4845684" "4999461" "5166668" "5483262" "5541371").PN. OR ("5854881"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/26 16:22
S6	2815	345/173.ccls.	US-PGPUB; USPAT; USOCR	OR .	OFF	2006/08/09 15:04
S7	57	345/173.ccls. and differential near3 amplifier	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/27 10:05
S8	146	178/18.06.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/27 14:35
S9	36	178/18.06.ccls. and differential	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/26 16:35
S10	833	178/18.01.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/26 16:35
S11	86	178/18.01.ccls. and differential	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/26 16:36
S12	189	345/173.ccls. and differential	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/27 11:04
S13	1	("6621487").PN.	USPAT; USOCR	OR	OFF	2006/07/27 11:04

S14	1	("5565658").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/27 11:04
S15	6	("4237421" "4371746" "4476463" "4845682" "5053757" "5305017").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/27 11:06
S16	1	("6690156").PN.	USPAT; USOCR	OR	OFF	2006/07/27 11:06
S17	8	("4331333" "4398720" "5129654" "5190285" "5661269" "5853327" "RE33805" "RE34187").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/27 11:06
S18	1221	345/173.ccls. and transparent	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/27 11:10
S19	211	345/173.ccls. and transparent and grid	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/27 11:10
S20	118	345/173.ccls. and transparent and grid same (sensors electrodes lines wires)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/27 11:11
S21	29	345/173.ccls. and transparent same grid same (sensors electrodes lines wires)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/27 11:12
S22	51	345/173.ccls. and passive near3 (stylus pointer)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/27 11:33
S23	336	(digitizer touch adj screen touchpad) and display and transparent near10 (sensor\$2 electrode\$2 line\$2 wire\$2) and stylus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/27 13:42
S24	74	(digitizer touch adj screen touchpad) and display and transparent near10 (sensor\$2 electrode\$2 line\$2 wire\$2) and stylus and amplifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/27 13:42
S25	81	(digitizer touch adj screen touchpad) and display and transparent near10 (sensor\$2 electrode\$2 line\$2 wire\$2) and stylus and amplifier\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/27 13:42
S26	251	178/18.07.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/17 13:30
S27	146	178/18.07.ccls. and amplifier	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/27 14:35

S28	36	178/18.07.ccls. and differential	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/27 14:49
S29	5	178/18.07.ccls. and differential and transparent	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/27 14:49
S30	681658	178/18.07.ccls. excitation pulse	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/27 16:48
S31	4152	178/18.07.ccls. excitation adj pulse	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/27 16:48
S32	2	178/18.07.ccls. and excitation adj pulse	US-PGPUB; USPAT; USOCR	OR	OFF .	2006/07/27 16:49
S33	1	"6005555".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/27 16:49
S34	15	("4878553" "5214427" "5466896" "5567920" "5600105" "5693914" "5734377").PN. OR ("6005555"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/27 16:50
S35	16	("4492819" "4631356" "4845684" "4999461" "5166668" "5483262" "5541371").PN. OR ("5854881"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/31 15:59
S36	11	("4686516" "5220324" "5650236" "5801630" "5854881").PN. OR ("6246393"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/31 16:29
S37	6	("5220324").URPN.	USPAT	OR	OFF	2006/07/31 16:31
S38	1	organic near3 foil and (digitizer digitiser)	US-PGPUB; USPAT	OR	OFF	2006/08/09 15:01
S39	8129	organic near3 conductive	US-PGPUB; USPAT	OR	OFF	2006/08/09 15:02
S40	1227	organic near3 conductive same transparent	US-PGPUB; USPAT	OR	OFF	2006/08/09 15:02
S41	240	organic near3 conductive same transparent and (input digitizer digitiser)	US-PGPUB; USPAT	OR	OFF	2006/08/09 15:02
S42	175	organic near3 conductive same transparent and (input digitizer digitiser) and display	US-PGPUB; USPAT	OR	OFF	2006/08/09 15:02

and stylus same (erase "right click") S56 1 ("4639881").PN. USPAT; USOCR USPAT; USOCR S57 869 weiner.in. DERWENT OR OFF 2006/08/16 16:38 S58 2 weiner.in. and board near2 game DERWENT OR OFF 2006/08/16 16:37 S59 7 weiner.in. and game DERWENT OR OFF 2006/08/16 16:37				-			
transparent	S43	183	345/173.ccls. and organic	USPAT;	OR	OFF	2006/08/09 15:04
S46	S44	23	· -	USPAT;	OR	OFF	2006/08/09 15:06
Same store	S45	135	345/173.ccls. and compensation	USPAT;	OR	OFF	2006/08/09 15:06
Same (store storing stored)	S46	2	·	USPAT;	OR	OFF	2006/08/09 15:06
S49	S47	5		USPAT;	OR	OFF	2006/08/09 15:08
S50	S48	158	345/173.ccls. and history	USPAT;	OR	OFF	2006/08/09 15:09
S51	S49	11	· · · · · · · · · · · · · · · · · · ·	USPAT;	OR	OFF	2006/08/09 15:10
Near10 signal	S50	55	345/173.ccls. and smoothing	USPAT;	OR	OFF	2006/08/09 15:15
S53 256 345/173.ccls. and stylus same (erase "right click" button) US-PGPUB; USOCR US-PGPUB; USPAT; USOCR US-PGPUB; USPAT; USOCR US-PGPUB; USPAT; USOCR US-PGPUB; USPAT; USOCR US-PGPUB; USPAT; USOCR US-PGPUB; US	S51	5	,	USPAT;	OR	OFF	2006/08/09 15:17
S54 26 345/173.ccls. and stylus same (erase "right click") same button US-PGPUB; USPAT; USOCR OR OFF 2006/08/09 15:23 S55 31 stylus and frequency same mode and stylus same (erase "right click") US-PGPUB; USPAT; USOCR OR OFF 2006/08/09 15:24 S56 1 ("4639881").PN. US-PGPUB; USPAT; USOCR OR OFF 2006/08/16 14:56 S57 869 weiner.in. DERWENT OR OFF 2006/08/16 16:38 S58 2 weiner.in. and board near2 game DERWENT OR OFF 2006/08/16 16:37 S59 7 weiner.in. and game DERWENT OR OFF 2006/08/16 16:37	S52	184	,	USPAT;	OR	OFF	2006/08/09 15:18
S55 31 stylus and frequency same mode and stylus same (erase "right click") US-PGPUB; USPAT; USOCR OFF 2006/08/09 15:24 S56 1 ("4639881").PN. US-PGPUB; USPAT; USOCR OFF 2006/08/16 14:56 S57 869 weiner.in. DERWENT OR OFF 2006/08/16 16:38 S58 2 weiner.in. and board near2 game DERWENT OR OFF 2006/08/16 16:37 S59 7 weiner.in. and game DERWENT OR OFF 2006/08/16 16:37	S53	256	,	USPAT;	OR	OFF	2006/08/09 15:19
and stylus same (erase "right click") S56 1 ("4639881").PN. USPAT; USOCR USPAT; USOCR S57 869 weiner.in. DERWENT OR OFF 2006/08/16 16:38 S58 2 weiner.in. and board near2 game DERWENT OR OFF 2006/08/16 16:37 S59 7 weiner.in. and game DERWENT OR OFF 2006/08/16 16:37	S54	26		USPAT;	OR	OFF	2006/08/09 15:23
USPAT; USOCR	S55	31	and stylus same (erase "right	USPAT;	OR	OFF	2006/08/09 15:24
S58 2 weiner.in. and board near2 game DERWENT OR OFF 2006/08/16 16:37 S59 7 weiner.in. and game DERWENT OR OFF 2006/08/16 16:37	S56	1	("4639881").PN.	USPAT;	OR	OFF	2006/08/16 14:56
S59 7 weiner.in. and game DERWENT OR OFF 2006/08/16 16:37	S57	869	weiner.in.	DERWENT	OR	OFF	2006/08/16 16:38
	S58	2	weiner.in. and board near2 game	DERWENT	OR	OFF	2006/08/16 16:37
S60 1 "6690156".pn. USPAT OR OFF 2006/08/17 14:28	S59	7	weiner.in. and game	DERWENT	OR	OFF	2006/08/16 16:37
	S60	1	"6690156".pn.	USPAT	OR	OFF	2006/08/17 14:28

S61	75	345/173.ccls. and sensor same conducti\$4 same (measur\$5 database)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 11:19
S62	23	345/173.ccls. and sensor same conducti\$4 same (measur\$5 database) and compensation	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 11:21
S63	9	345/173.ccls. and sensor same conducti\$4 same (measur\$5 database) and compensation same (measur\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 11:21
S64	9	345/173.ccls. and sensor same conducti\$4 same (measur\$5) and compensation same (measur\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 11:21
S65	0	345/173.ccls. and interference same measur\$5 same database	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 11:24
S66	3	345/173.ccls. and interference same measur\$5 same table	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 11:24
S67	37	345/173.ccls. and interference same measur\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 11:26
S68	309	345/173.ccls. and calibrat\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 11:26

				·		
S69	5	345/173.ccls. and calibrat\$3 same conductivity	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 11:27
S70	103	345/173.ccls. and calibrat\$3 same sensor	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 11:32
S71	4	345/173.ccls. and calibrat\$3 same sensor same conductivity	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 11:32
S72	26	345/173.ccls. and calibrat\$3 same sensor and conductivity	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 11:32
S73	35	178/18.07.ccls. and correction	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/17 14:42
S74	19	178/18.07.ccls. and calibrat\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/17 14:02
S75	3	178/18.07.ccls. and zeroing	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/17 14:02
S76	105	178/18.07.ccls. and zero	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/17 14:02
S77	. 17	178/18.07.ccls. and zero same measur\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/17 14:03
S78	2811	(digitiser digitizer) and (calibrati\$3 correct\$4 zero\$4 noise background) same (table database)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/17 14:04
S79	502	(digitiser digitizer) and (calibrati\$3 correct\$4 zero\$4 noise background) same (table database) same measur\$5	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/17 14:08

S80	15	(digitiser digitizer) and (calibrati\$3 correct\$4 zero\$4 noise background) same (table database) same measur\$5 and conductivity	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/17 14:05
S81	144	(digitiser digitizer) and history and smoothing	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/17 14:08
S82	11	(digitiser digitizer) and history and smoothing same previous	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/17 14:09
S83	359	(digitiser digitizer) and sampling adj rate and contact	US-PGPUB; USPAT	OR	OFF	2006/08/17 14:29
S84	59	(digitiser digitizer) and sampling adj rate and contact same stylus	US-PGPUB; USPAT	OR	OFF	2006/08/17 14:34
S85	5	(digitiser digitizer) and sampling adj rate same (variable chang\$4 alterable) and contact same stylus	US-PGPUB; USPAT	OR	OFF	2006/08/17 14:32
S86	2	(digitiser digitizer) and sampling adj rate same contact same stylus	US-PGPUB; USPAT	OR	OFF	2006/08/17 14:34
S87	2	(digitiser digitizer) and sampling near5 rate same contact same stylus	US-PGPUB; USPAT	OR	OFF	2006/08/17 14:34
S88	1338	(digitiser digitizer) and sampling adj rate	US-PGPUB; USPAT	OR	OFF	2006/08/17 14:34
S89	235	(digitiser digitizer) and sampling adj rate same (chang\$4 variable adjustable alterable alter)	US-PGPUB; USPAT	OR .	OFF	2006/08/17 14:35
S90	79	(digitiser digitizer) and sampling adj rate near5 (chang\$4 variable adjustable alterable alter)	US-PGPUB; USPAT	OR	OFF	2006/08/17 14:35
S91	2	(digitiser digitizer) and sampling adj rate near5 (chang\$4 variable adjustable alterable alter) and stylus same contact	US-PGPUB; USPAT	OR	OFF	2006/08/17 14:35
S92	4	178/18.07.ccls. and sampling near5 rate	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/17 14:44
S93	7	178/18.06.ccls. and sampling near5 rate	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/17 14:45
S94	88	345/173.ccls. and sampling near5 rate	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/17 14:45
S95	26	345/173.ccls. and sampling near5 rate same (variable chang\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/17 15:42

				·		
S96	19	345/173.ccls. and sampling near5 frequency same (variable chang\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/17 14:49
S97	210	(digitizer digitiser) and sampling near5 frequency same (variable chang\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/17 14:49
S98	1	(digitizer digitiser) and sampling near5 frequency same (variable chang\$4) and stylus near5 contact	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/17 14:50
S99	1	(digitizer digitiser) and sampling near5 frequency same (variable chang\$4) and stylus same contact	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/17 14:50
S10 0	95	(digitizer digitiser) and stylus same contact and sampl\$4 near5 (frequency rate)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/17 15:00
S10 1	54	(digitizer digitiser) and pen adj up and pen adj down and sampling near5 (rate frequency) same (chang\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/17 15:03
S10 2	5	(digitizer digitiser) and pen adj up same sampling near5 (rate frequency) and pen adj down same sampling near5 (rate frequency)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/17 15:04
S10 3	13	(digitizer digitiser) and (pen adj up same sampling near5 (rate frequency)) or (pen adj down same sampling near5 (rate frequency))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/17 15:13
S10 4	113	(digitizer digitiser) and (electrode sensor) same conductivity	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/17 15:14
S10 5	15	(digitizer digitiser) and (electrode sensor) same conductivity same (stor\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/17 15:13
S10 6	51	(digitizer digitiser) and (electrode sensor) same conductivity and (database table)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/17 15:15
S10 7	615	(digitizer digitiser) same (calibration calibrating calibrated calibrate)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/17 15:16
S10 8	26	(digitizer digitiser) same (calibration calibrating calibrated calibrate) and conductivity	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/17 15:17
S10 9	123	(digitizer digitiser) same noise same (memory table database)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/17 15:18

S11 0	20	(digitizer digitiser) same noise same (memory table database) and (calibrat\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/17 15:18
S11 1	1	"5793360".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/17 15:45

8/17/2006 10:48:57 PM Page 9